

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	127	statistical ADJ gain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:49
L2	6	L1 SAME variable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:50
L3	6	L2 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d>"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:50
L4	6	L3 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:50
L5	6	L2 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:50
L6	822	statistical\$2 NEAR2 gain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:54
L7	1278	statistical\$2 NEAR4 gain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:54
L8	6	L7 SAME correlat\$5 SAME (variable\$1 or parameter\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:54

L9	6	L8 not L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 15:55
L10	156	significant\$2 NEAR4 significant \$2 NEAR4 variable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:07
L11	135	L10 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:07
L12	21	L10 SAME (variance\$1 or error \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:08
L13	19	L12 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:08
L14	268	\$diaz-susanna\$.xp,xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:18
L15	38	L14 and fraud\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:21
L16	7	L11 and ("F test" or multi- collinearity or multicollinearity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:26
L17	19	L15 and (index or indices or indexes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:39

L18	13	L17 and significant\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 16:40
L19	1	("6098052").PN.	US-PGPUB; USPAT	OR	OFF	2009/03/15 16:51
S1	3352	percent\$4 NEAR2 gain\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:36
S2	41	S1 NEAR5 (variable\$1 or statistic\$5 or index or indices or indexes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:37
S3	32	S2 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:37
S4	32	S2 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:37
S5	529	(relative or percent\$3) NEAR5 (correlation\$1 or correlat\$3) NEAR5 (variable\$1 or statistic\$5 or index or indices or indexes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:50
S6	401	S5 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:50
S7	0	(relative) NEAR5 (percent\$3) NEAR5 (correlation\$1 or correlat\$3) NEAR5 (variable\$1 or statistic\$5 or index or indices or indexes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:50

S8	140	(percent\$3) NEAR5 (correlation\$1 or correlat\$3) NEAR5 (variable\$1 or statistic \$5 or index or indices or indexes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:50
S9	109	S8 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:51
S10	4	((percent\$3) NEAR5 (correlation\$1 or correlat\$3) NEAR5 (variable\$1 or statistic \$5 or index or indices or indexes)) SAME (influential\$2 or influence or leader\$1 or trendsetter\$1 or trend-setter \$1 or buzz)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:52
S11	4	S10 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:52
S12	1	S9 and ("707"/\$.cls. or 705/ cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 15:52
S13	2	((better or improv\$3 or increas \$3 or differen\$5) NEAR5 (percent\$3) NEAR5 (correlation\$1 or correlat\$3) NEAR5 (variable\$1 or statistic \$5 or index or indices or indexes))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:03
S14	0	S13 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:03
S15	156	(percent\$4 NEAR5 (correlation \$1 or correlat\$3) NEAR5 (variable\$1 or statistic\$5 or index or indices or indexes))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:04

S16	122	S15 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:04
S17	1	(percent\$4 NEAR5 (correlation\$1 or correlat\$3) NEAR5 predictive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:25
S18	448	variable\$1 NEAR10 (better or accurate) NEAR5 (predictor\$1 or power or predictive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:45
S19	40	S18 SAME (ratio\$1 or percent\$4 or "%")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:45
S20	23	S19 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 20:45
S21	113	(percent\$4 NEAR5 variance\$1 NEAR5 (variable\$1 or statistic\$5 or index or indices or indexes))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:04
S22	81	S21 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:04
S23	65	S22 AND (subtract\$3 or delta\$1 or difference\$1 or minus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:12
S24	65	S22 AND (subtract\$4 or delta\$1 or difference\$1 or minus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:13

S25	349	regression\$1 SAME percent\$4 SAME (variance\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:46
S26	88	S25 AND (regression\$1 NEAR6 (variable\$1 or multi-variable\$1 or multi-variate or multivariate))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:47
S27	67	S26 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 21:47
S28	32359	(tune\$1 or tuning) NEAR5 (model\$1 or parameter\$1 or variable\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 22:28
S29	2280	((tune\$1 or tuning) NEAR5 (model\$1 or parameter\$1 or variable\$1)) SAME (error\$1 or variance\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 22:29
S30	1749	S29 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 22:29
S31	368	(relative NEAR2 error\$1) AND (approximation NEAR2 error\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 23:07
S32	137	S31 AND (predict\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 23:08
S33	117	S32 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 23:08

S34	54	S31 AND (predict\$4 SAME (variable\$1 or parameter\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 23:08
S35	38	S34 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/14 23:09
S36	3722	(705/10).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/03/14 23:45
S37	215	error\$1 NEAR10 ((accurat\$1 or accuracy or power) NEAR4 (predict\$4) NEAR7 (model\$1 or variable\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 12:26
S38	153	S37 AND (@pd<"20040113" or @ad<"20040113" or @rlad<"20040113" or @pt3d<"20040113")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 12:27
S39	54	S38 AND (error\$1 NEAR10 (relative or difference or subtract\$5 or absolute))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 12:28

3/ 15/ 2009 5:29:00 PM

C:\Documents and Settings\sdiarz\My Documents\EAST\Workspaces\10757166b.wsp